

2026

HOLOGIC

Diagnostic Solutions

ICD-10-CM Codes

(International Classification of Diseases, Tenth Revision, Clinical Modification)

for Women's Health

Chlamydia

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A55	Chlamydial lymphogranuloma (venereum)
A56.00	Chlamydial infection of lower genitourinary tract, unspecified
A56.01	Chlamydial cystitis and urethritis
A56.02	Chlamydial vulvovaginitis
A56.09	Other chlamydial infection of lower genitourinary tract Chlamydial cervicitis
A56.11	Chlamydial female pelvic inflammatory disease
A56.19	Other chlamydial genitourinary infection Chlamydial epididymitis Chlamydial orchitis
A56.2	Chlamydial infection of genitourinary tract, unspecified
A56.3	Chlamydial infection of anus and rectum
A56.4	Chlamydial infection of pharynx
A56.8	Sexually transmitted chlamydial infection of other sites
A71.0	Initial stage of trachoma Trachoma dubium
A71.1	Active stage of trachoma Granular conjunctivitis (trachomatous) Trachomatous follicular conjunctivitis Trachomatous pannus
A71.9	Trachoma, unspecified
Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission
Z72.89	Other problems related to lifestyle Self-damaging behavior
Z72.51	High risk heterosexual behavior
Z72.52	High risk homosexual behavior
Z72.53	High risk bisexual behavior
Z34.00	Encounter for supervision of normal first pregnancy, unspecified trimester

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Chlamydia (Continued)

ICD-10-CM Code	ICD-10 Diagnosis Code Description
Z34.01	Encounter for supervision of normal first pregnancy, first trimester
Z34.02	Encounter for supervision of normal first pregnancy, second trimester
Z34.03	Encounter for supervision of normal first pregnancy, third trimester
Z34.80	Encounter for supervision of other normal pregnancy, unspecified trimester
Z34.81	Encounter for supervision of other normal pregnancy, first trimester
Z34.82	Encounter for supervision of other normal pregnancy, second trimester
Z34.83	Encounter for supervision of other normal pregnancy, third trimester

Gonorrhea

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A54.00 - A54.09	Gonococcal infection of lower genitourinary tract without perurethral or accessory gland abscess
A54.1	Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess
A54.21 - A54.29	Gonococcal pelviperitonitis and other gonococcal genitourinary infection
A54.30 - A54.39	Gonococcal infection of eye
A54.40 - A54.49	Gonococcal infection of musculoskeletal system
A54.5	Gonococcal pharyngitis
A54.6	Gonococcal infection of anus and rectum
A54.81 - A54.89	Other gonococcal infections
A54.9	Gonococcal infection, unspecified

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Herpes Simplex Virus 1 & 2

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A60.00	Herpesviral infection of urogenital system, unspecified
A60.01	Herpesviral infection of penis
A60.02	Herpesviral infection of other male genital organs
A60.03	Herpesviral cervicitis
A60.04	Herpesviral vulvovaginitis
A60.09	Herpesviral infection of other urogenital tract
A60.1	Herpesviral infection of perianal skin and rectum
A60.9	Anogenital herpesviral infection, unspecified
B00.0	Eczema herpeticum
B00.1	Herpesviral vesicular dermatitis
B00.2	Herpesviral gingivostomatitis and pharyngotonsillitis
B00.3	Herpesviral meningitis
B00.4	Herpesviral encephalitis
B00.50	Herpesviral ocular disease, unspecified
B00.51	Herpesviral iridocyclitis
B00.52	Herpesviral keratitis
B00.53	Herpesviral conjunctivitis
B00.59	Other herpesviral disease of eye
B00.7	Disseminated herpesviral disease
B00.81	Herpesviral hepatitis
B00.82	Herpes simplex myelitis
B00.89	Other herpesviral infection

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Herpes Simplex Virus 1 & 2 (Continued)

ICD-10-CM Code	ICD-10 Diagnosis Code Description
B00.9	Herpesviral infection, unspecified
O98.311 - O98.313, O98.319	Other infections with a predominantly sexual mode of transmission complicating pregnancy
O98.32	Other infections with a predominantly sexual mode of transmission complicating childbirth
O98.33	Other infections with a predominantly sexual mode of transmission complicating the puerperium
O98.511 - O98.513, O98.519	Other viral diseases complicating pregnancy
O98.52	Other viral diseases complicating childbirth
O98.53	Other viral diseases complicating the puerperium

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Mycoplasma Genitalum

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A49.3	Mycoplasma infection, unspecified site
N34.1	Nonspecific urethritis Nongonococcal urethritis Nonvenereal urethritis
N70.01	Acute salpingitis
N70.03	Acute salpingitis and oophoritis
N70.11	Chronic salpingitis
N70.13	Chronic salpingitis and oophoritis
N70.91	Salpingitis, unspecified
N70.93	Salpingitis and oophoritis, unspecified
N72	Inflammatory disease of the cervix uteri Use additional code (B95-B97), to identify infectious agent
N73.0 - N73.9	Other female pelvic inflammatory diseases
N74	Female pelvic inflammatory disorders in diseases classified elsewhere
N94.10 - N94.19	Dyspareunia

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Trichomoniasis

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A59.00	Urogenital trichomoniasis, unspecified
A59.01	Trichomonal vulvovaginitis
A59.02	Trichomonal prostatitis
A59.03	Trichomonal cystitis and urethritis
A59.09	Other urogenital trichomoniasis
A59.8	Trichomoniasis of other sites
A59.9	Trichomoniasis, unspecified
B37.31-B37.32	Candidiasis of vulva and vagina
B96.89	Other specified bacterial agents as the cause of diseases classified elsewhere
F11.10 - F11.19, F13.10 - F13.19, F14.10 - F14.19, F15.10 - F15.19, F16.10 - F16.19, F19.10 - F19.19	Non-dependent abuse of drugs [injection drug use]
F11.20 - F11.29, F13.20 - F13.29, F14.20 - F14.29, F15.20 - F15.29, F16.20 - F16.29, F19.20 - F19.29	Drug dependence [injection drug use]
L29.1 - L29.3	Pruritis of genital organs
N76.0	Acute vaginitis
N76.1	Subacute and chronic vaginitis
N76.2	Acute vulvitis
N76.3	Subacute and chronic vulvitis
N77.1	Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere
O23.00 - O23.93	Infections of genitourinary tract in pregnancy
Z11.2	Encounter for screening for other bacterial diseases

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Trichomoniasis (Continued)

ICD-10-CM Code	ICD-10 Diagnosis Code Description
Z11.8	Encounter for screening for other infectious and parasitic diseases Encounter for screening for chlamydia Encounter for screening for rickettsial Encounter for screening for spirochetal Encounter for screening for mycoses
Z13.89	Encounter for screening for other disorder [encounter for screening for genitourinary disorders]
Z30.011-Z30.018	Encounter for initial prescription of contraceptives
Z30.41-Z30.42	Encounter for surveillance of contraceptives
Z30.431-Z30.433	Encounter for surveillance of intrauterine contraceptive device
Z30.44	Encounter for surveillance of vaginal ring hormonal contraceptive device
Z30.45	Encounter for surveillance of transdermal patch hormonal contraceptive device
Z30.46	Encounter for surveillance of implantable subdermal contraceptive
Z30.49	Encounter for surveillance of other contraceptives
Z72.51 - Z72.53	High risk sexual behavior Promiscuity
Z86.19	Personal history of other infectious and parasitic diseases

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Zika

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A92.5	Zika virus disease
B30.9	Viral conjunctivitis, unspecified
M25.50	Pain in unspecified joint
O09.00 – O09.03	Supervision of pregnancy with history of infertility
O09.10 – O09.13	Supervision of pregnancy with history of ectopic pregnancy
O09.211 - O09-219	Supervision of pregnancy with history of pre-term labor
O09.291 – O09-299	Supervision of pregnancy with other poor reproductive or obstetric history
O09.30 - O09.33	Supervision of pregnancy with insufficient antenatal care
O09.40 - O09.43	Supervision of pregnancy with grand multiparity
O09.511 - O09.519	Supervision of elderly primigravida
O09.521 - O09.529	Supervision of elderly multigravida
O09.611 - O09.619	Supervision of young primigravida
O09.621 - O09.629	Supervision of young multigravida
O09.70 - O09.73	Supervision of high risk pregnancy due to social problems
O09.811 - O09.819	Supervision of pregnancy resulting from assisted reproductive technology
O09.821 - O09.829	Supervision of pregnancy with history of in utero procedure during previous pregnancy
O09.891 - O09.899	Supervision of other high risk pregnancies
O09.90 - O09.93	Supervision of high risk pregnancy, unspecified
O28.3	Abnormal ultrasonic finding antenatal screening of mother
O28.4	Abnormal radiological finding on antenatal screening of mother
O35.00X0-O35.00X9	Maternal care for (suspected) central nervous system malformation in fetus
O35.3XX0-O35.3XX9	Maternal care for (suspected) damage to fetus from viral disease in mother
R21	Rash and other nonspecific skin eruption

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Zika (Continued)

ICD-10-CM Code	ICD-10 Diagnosis Code Description
R50.9	Fever, unspecified
Z03.73	Encounter for suspected fetal anomaly ruled out
Z03.79	Encounter for other suspected maternal and fetal conditions ruled out
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
Z20.821	Contact with and (suspected) exposure to Zika virus
Z33.1	Pregnant state, incidental
Z34.00 - Z34.03	Encounter for supervision of normal first pregnancy
Z34.80 - Z34.83	Encounter for supervision of other normal pregnancy
Z34.90 - Z34.93	Encounter for supervision of normal pregnancy, unspecified
Z36.89	Encounter for other specified antenatal screening

Bacterial Vaginitis/Candida Vaginitis

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A59.01	Trichomonal vulvovaginitis
B37.31-B37.32	Candidiasis of vulva and vagina
B96.89	Other specified bacterial agents as the cause of diseases classified elsewhere
L29.1 - L29.3	Pruritis of genital organs
N76.0 - N76.3	Vaginitis and vulvitis
N77.1	Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere
N89.8	Other specified non-inflammatory disorders of vagina (eg. leukorrhea)
O23.00 - O23.93	Infections of genitourinary tract in pregnancy
Z11.2	Encounter for screening for other bacterial diseases
Z11.8	Encounter for screening for other infectious and parasitic diseases [high risk screening for Trichomonas only]
Z13.89	Encounter for screening for other disorder Encounter for screening for genitourinary disorders
Z72.51 - Z72.53	High risk sexual behavior Promiscuity
Z86.19	Personal history of other infectious and parasitic diseases

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Trichomoniasis

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A59.00	Urogenital trichomoniasis, unspecified
A59.01	Trichomonal vulvovaginitis
A59.02	Trichomonal prostatitis
A59.03	Trichomonal cystitis and urethritis
A59.09	Other urogenital trichomoniasis
A59.8	Trichomoniasis of other sites
A59.9	Trichomoniasis, unspecified
B37.31-B37.32	Candidiasis of vulva and vagina
B96.89	Other specified bacterial agents as the cause of diseases classified elsewhere
F11.10 - F11.19, F13.10 - F13.19, F14.10 - F14.19, F15.10 - F15.19, F16.10 - F16.19, F19.10 - F19.19	Non-dependent abuse of drugs [injection drug use]
F11.20 - F11.229, F13.20 - F13.229, F14.20 - F14.29, F15.20 - F15.29, F16.20 - F16.29, F19.20 - F19.29	Drug dependence [injection drug use]
L29.1 - L29.3	Pruritis of genital organs
N76.0 ^c	Acute vaginitis
N76.1	Subacute and chronic vaginitis
N76.2	Acute vulvitis
N76.3	Subacute and chronic vulvitis
N77.1	Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere
O23.00 - O23.93	Infections of genitourinary tract in pregnancy
Z11.2	Encounter for screening for other bacterial diseases

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Trichomoniasis (Continued)

ICD-10-CM Code	ICD-10 Diagnosis Code Description
Z11.8	Encounter for screening for other infectious and parasitic diseases Encounter for screening for chlamydia Encounter for screening for rickettsial Encounter for screening for spirochetal Encounter for screening for mycoses
Z13.89	Encounter for screening for other disorder [encounter for screening for genitourinary disorders]
Z30.011-Z30.018	Encounter for initial prescription of contraceptives
Z30.41-Z30.42	Encounter for surveillance of contraceptives
Z30.431-Z30.433	Encounter for surveillance of intrauterine contraceptive device
Z30.44	Encounter for surveillance of vaginal ring hormonal contraceptive device
Z30.45	Encounter for surveillance of transdermal patch hormonal contraceptive device
Z30.46	Encounter for surveillance of implantable subdermal contraceptive
Z30.49	Encounter for surveillance of other contraceptives
Z72.51 - Z72.53	High risk sexual behavior Promiscuity
Z86.19	Personal history of other infectious and parasitic diseases

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Cervical Cancer Screening

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A64	Unspecified sexually transmitted disease
B20	Human immunodeficiency virus [HIV] disease
C51 - C58	Malignant neoplasm of female genital organs
C79.6	Secondary malignant neoplasm of ovary
C79.82	Secondary malignant neoplasm of genital organs
D06.0 - D06.9	Carcinoma in situ of cervix uteri
D07.0 - D07.39	Carcinoma in situ of other and unspecified genital organs
D39.8 - D39.9	Neoplasm of uncertain behavior of female genital organs
N72	Inflammatory disease of cervix uteri
N76.81	Mucositis (ulcerative) of vagina and vulva
N87.0 - N87.9	Dysplasia of cervix uteri
N89.8	Other specified noninflammatory disorders of vagina
R75	Inconclusive laboratory evidence of human immunodeficiency virus [HIV]
R87.610 - R87.619, R87.810, R87.820	Abnormal cytological findings in specimens from cervix
R87.810	Cervical high risk human papillomavirus (HPV) DNA test positive
R87.811	Vaginal high risk human papillomavirus (HPV) DNA test positive
Z01.411	Encounter for gynecological examination (general)(routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general)(routine) without abnormal findings
Z11.51	Encounter for screening for HPV
Z12.4	Encounter for screening for malignant neoplasm of cervix
Z12.72	Encounter for screening for malignant neoplasm of vagina
Z12.79	Encounter for screening for malignant neoplasm of other genitourinary organs
Z12.89	Encounter for screening for malignant neoplasm of other sites

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Cervical Cancer Screening (Continued)

ICD-10-CM Code	ICD-10 Diagnosis Code Description
Z20.828	Contact with and (suspected) exposure to other viral communicable diseases
Z21	Asymptomatic human immunodeficiency virus [HIV] infection status
Z72.51	High risk heterosexual behavior
Z72.52	High risk homosexual behavior
Z72.53	High risk bisexual behavior
Z77.29	Contact with and (suspected) exposure to other hazardous substances
Z77.9	Other contact with and (suspected) exposures hazardous to health
Z85.40 - Z85.44	Personal history of malignant neoplasm of [female] genital organs
Z87.410	Personal history of cervical dysplasia
Z87.42	Personal history of other diseases of the female genital tract
Z87.59	Personal history of other complications of pregnancy, childbirth and the puerperium
Z91.89	Other specified personal risk factors, not elsewhere classified
Z92.89	Personal history of other medical treatment

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Gastrointestinal Portfolio

ICD-10-CM Code	ICD-10 Diagnosis Code Description
A02.0	Salmonella enteritis
A02.1	Salmonella sepsis
A02.8	Other specified salmonella infections
A03.0	Shigellosis due to <i>Shigella dysenteriae</i>
A03.1	Shigellosis due to <i>Shigella flexneri</i>
A03.2	Shigellosis due to <i>Shigella boydii</i>
A03.3	Shigellosis due to <i>Shigella sonnei</i>
A03.8	Other shigellosis
B96.22	Other shiga-toxin producing <i>Escherichia coli</i> as the cause of diseases classified elsewhere
B96.23	Unspecified shiga-toxin producing <i>Escherichia coli</i> as the cause of diseases classified elsewhere
A04.8	Other specified bacterial intestinal infections
A05.3	Foodborne <i>Vibrio parahaemolyticus</i> intoxication
A05.5	Foodborne <i>Vibrio vulnificus</i> intoxication
B96.21	Shiga toxin-producing <i>Escherichia coli</i> [E. coli] [STEC] O157 as the cause of diseases classified elsewhere
A04.6	Enteritis due to <i>Yersinia enterocolitica</i>

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Respiratory Portfolio

ICD-10-CM Code	ICD-10 Diagnosis Code Description
B97.21	SARS-associated coronavirus as the cause of diseases classified elsewhere
J09.X1	Influenza due to identified novel influenza A virus with pneumonia
J09.X2	Influenza due to identified novel influenza A virus with other respiratory manifestations
J10.1	Influenza due to other identified influenza virus with other respiratory manifestations
J10.89	Influenza due to other identified influenza virus with other manifestations
J20.4	Acute bronchitis due to parainfluenza virus
J20.5	Acute bronchitis due to respiratory syncytial virus
J20.6	Acute bronchitis due to rhinovirus
R05.1	Acute cough
R05.2	Subacute cough
R05.3	Chronic cough
R05.8	Other specified cough
R06.02	Shortness of breath
R06.03	Acute respiratory distress
R06.2	Wheezing
R50.9	Fever, unspecified
U07.1	COVID-19

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.


Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

Perinatal Testing

ICD-10-CM Code	ICD-10 Diagnosis Code Description
O28.8	Other abnormal findings on antenatal screening of mother (when a screening is done and something is found)
O60.02-O60.03	Codes for premature labor (used when the fFN test helps manage or rule out preterm labor)
Z36.89	Encounter for other specified antenatal screening (for general screening purposes)
O42-O42.913	Premature rupture of membranes



HOLOGIC

Reimbursement Hotline

Contact The Pinnacle Health Group
 Tel: (866) 369-9290
 Email: Hologic@thepinnaclehealthgroup.com
 HIPAA Compliant Email*: bv@thepinnaclehealthgroup.com
 Available Monday - Friday 8:30am - 6:00pm Eastern

*Please use this email address when your communication includes HIPAA protected information.

Reimbursement **Hotline**

HOLOGIC

The Pinnacle Health Group provides reimbursement and coding support through a staff of professional certified coders and can address questions regarding:

- Coding
- Insurance Coverage
- Private Payer Research of Contracted Rates (PPR)
- Patient Benefit Verification
- Patient Preauthorization / Pre-Certification
- Claims Appeals & Denials
- HIPAA Compliance Support

At Hologic, **we understand** how important it is to deliver advanced testing, imaging and treatment solutions that bring greater **certainty to clinicians** — and **make a real difference** in the lives of patients looking for answers. That's why **we stand behind our innovative solutions**, with information to assist you.*

*Pinnacle Hotline support/resolution can take up to 7-10 business days

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Hologic, Inc., provides this coding guide for informational purposes only. This guide is not an affirmative instruction as to which codes and modifiers to use for a particular service, supply, procedure or treatment. It is the provider's responsibility to determine and submit the appropriate codes and modifiers for any service, supply, procedure or treatment rendered. Actual codes and/or modifiers used are at the sole discretion of the treating physician and/or facility. Contact your local payer for specific coding and coverage guidelines. Hologic, Inc., cannot guarantee medical benefit coverage or reimbursement with the codes listed in this guide.

American Medical Association (AMA). ICD-10-CM 2026 The Complete Official Codebook. ICD-10-CM codes and descriptions are only copyright 2025 AMA. All rights reserved.

hologic.com | marketaccessdx@hologic.com | 1.888.484.4747

MISC-05937-001 Rev. 007 © 2026 Hologic, Inc. All rights reserved. Hologic and associated logos are trademarks and/or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries. All other trademarks are the property of their respective owners.